

論文

1. Yasumasu S, Shimada H, Inohaya K, Yamazaki K, Iuchi I, Yasumasu I, Yamagami K: Different exon-intron organizations of the genes for two astacin-like proteases, high choriolytic enzyme (choriolyisin H) and low choriolytic enzyme (choriolyisin L), the constituents of the fish hatching enzyme. *Eur J Biochem.* 237:752-8, 1996.
2. Mitsunaga-Nakatsubo K, Yamazaki K, Hatoh-Okazaki M, Kawashita H, Okamura C, Akasaka K, Shimada H, Yasumasu I: cDNA cloning of Na⁺, K(+)-ATPase alpha-subunit from embryos of the sea urchin, *Hemicentrotus pulcherrimus*. *Zoolog Sci.* 13:833-41, 1996.
3. Yamazaki K, Maruyama T, Ihara T, Yasumasu I: Behavior of Na+/K(+)-ATPase alpha-subunit alleles in sea urchin eggs upon fertilization. *Dev Growth Differ.* 39:105-9, 1997.
4. Inohaya K, Yasumasu S, Araki K, Naruse K, Yamazaki K, Yasumasu I, Iuchi I, Yamagami K: Species-dependent migration of fish hatching gland cells that express astacin-like proteases in common. *Dev Growth Differ.* 39:191-7, 1997.
5. Yamazaki K, Okamura C, Ihara T, Yasumasu I: Two types of Na+/K(+)-ATPase alpha subunit gene transcript in embryos of the sea urchin, *Hemicentrotus pulcherrimus*. *Zoolog Sci.* 14:469-73, 1997.
6. Kawamura A, Yokota S, Yamada K, Inoue H, Inohaya K, Yamazaki K, Yasumasu I, Higashinakagawa T: pc1 and psc1, zebrafish homologs of Drosophila Polycomb and Posterior sex combs, encode nuclear proteins capable of complex interactions. *Biochem Biophys Res Commun.* 294:456-63, 2002.
7. Chuma M, Sakamoto M, Yamazaki K, Ohta T, Ohki M, Asaka M, Hirohashi S: Expression profiling in multistage hepatocarcinogenesis: identification of HSP70 as a molecular marker of early hepatocellular carcinoma. *Hepatology.* 37:198-207, 2003.
8. Yamazaki K, Sakamoto M, Ohta T, Kanai Y, Ohki M, Hirohashi S: Overexpression of KIT in chromophobe renal cell carcinoma. *Oncogene.* 22:847-52, 2003.
9. Koide N, Yamada T, Shibata R, Mori T, Fukuma M, Yamazaki K, Aiura K, Shimazu M, Hirohashi S, Nimura Y, Sakamoto M: Establishment of perineural invasion models and analysis of gene expression revealed an invariant chain (CD74) as a possible molecule involved in perineural invasion in pancreatic cancer. *Clin Cancer Res.* 12:2419-26, 2006.
10. Loukopoulos P, Shibata T, Katoh H, Kokubu A, Sakamoto M, Yamazaki K, Kosuge T, Kanai Y, Hosoda F, Imoto I, Ohki M, Inazawa J, Hirohashi S: Genome-wide array-based comparative genomic hybridization analysis of pancreatic adenocarcinoma: identification of genetic indicators that predict patient outcome. *Cancer Sci.* 98:392-400, 2007.
11. Kuwabara Y, Yamada T, Yamazaki K, Du WL, Banno K, Aoki D, Sakamoto M: Establishment of an ovarian metastasis model and possible involvement of E-cadherin down-regulation in the metastasis. *Cancer Sci.* 99:1933-9, 2008.
12. Yamazaki K, Takamura M, Masugi Y, Mori T, Du W, Hibi T, Hiraoka N, Ohta T, Ohki M, Hirohashi S, Sakamoto M: Adenylate cyclase-associated protein 1 overexpressed in pancreatic cancers is involved in cancer cell motility. *Lab Invest.* 89:425-32, 2009.
13. Hibi T, Mori T, Fukuma M, Yamazaki K, Hashiguchi A, Yamada T, Tanabe M, Aiura K, Kawakami T, Ogiwara

- A, Kosuge T, Kitajima M, Kitagawa Y, Sakamoto M: Synuclein-gamma is closely involved in perineural invasion and distant metastasis in mouse models and is a novel prognostic factor in pancreatic cancer. *Clin Cancer Res.* 15:2864-71, 2009.
14. Uchida H, Yamazaki K, Fukuma M, Yamada T, Hayashida T, Hasegawa H, Kitajima M, Kitagawa Y, Sakamoto M: Overexpression of leucine-rich repeat-containing G protein-coupled receptor 5 in colorectal cancer. *Cancer Sci.* 101:1731-7, 2010.
15. Masugi Y, Yamazaki K, Hibi T, Aiura K, Kitagawa Y, Sakamoto M: Solitary cell infiltration is a novel indicator of poor prognosis and epithelial-mesenchymal transition in pancreatic cancer. *Hum Pathol.* 41:1061-8, 2010.
16. Mamiya T, Yamazaki K, Masugi Y, Mori T, Effendi K, Du W, Hibi T, Tanabe M, Ueda M, Takayama T, Sakamoto M: Reduced transforming growth factor-beta receptor II expression in hepatocellular carcinoma correlates with intrahepatic metastasis. *Lab Invest.* 90:1339-45, 2010.
17. Kanamori H, Kawakami T, Effendi K, Yamazaki K, Mori T, Ebinuma H, Masugi Y, Du W, Nagasaka K, Ogiwara A, Kyono Y, Tanabe M, Saito H, Hibi T, Sakamoto M: Identification by differential tissue proteome analysis of talin-1 as a novel molecular marker of progression of hepatocellular carcinoma. *Oncology.* 80:406-15, 2011.
18. Yamanoi K, Fukuma M, Uchida H, Kushima R, Yamazaki K, Katai H, Kanai Y, Sakamoto M: Overexpression of leucine-rich repeat-containing G protein-coupled receptor 5 in gastric cancer. *Pathol Int.* 3:13-9, 2013.
19. Effendi K, Yamazaki K, Mori T, Masugi Y, Makino S, Sakamoto M: Involvement of hepatocellular carcinoma biomarker, cyclase-associated protein 2 in zebrafish body development and cancer progression. *Exp Cell Res.* 319:35-44, 2013.
20. Fukuma M, Tanese K, Effendi K, Yamazaki K, Masugi Y, Suda M, Sakamoto M: Leucine-rich repeat-containing G protein-coupled receptor 5 regulates epithelial cell phenotype and survival of hepatocellular carcinoma cells. *Exp Cell Res.* 319:113-21, 2013.
21. Emoto K, Masugi Y, Yamazaki K, Effendi K, Tsujikawa H, Tanabe M, Kitagawa Y, Sakamoto M: Presence of primary cilia in cancer cells correlates with prognosis of pancreatic ductal adenocarcinoma. *Hum Pathol.* 45:817-25, 2014.
22. Yamazaki K, Masugi Y, Effendi K, Tsujikawa H, Hiraoka N, Kitago M, Shinoda M, Itano O, Tanabe M, Kitagawa Y, Sakamoto M: Upregulated SMAD3 promotes epithelial-mesenchymal transition and predicts poor prognosis in pancreatic ductal adenocarcinoma. *Lab Invest.* 94:683-91, 2014.
23. Effendi K, Yamazaki K, Fukuma M, Sakamoto M: Overexpression of Leucine-Rich Repeat-Containing G Protein-Coupled Receptor 5 (LGR5) Represents a Typical Wnt/β-Catenin Pathway-Activated Hepatocellular Carcinoma. *Liver Cancer.* 3:451-7, 2014.
24. Ueno A, Masugi Y, Yamazaki K, Komuta M, Effendi K, Tanami Y, Tsujikawa H, Tanimoto A, Okuda S, Itano O, Kitagawa Y, Kuribayashi S, Sakamoto M: OATP1B3 expression is strongly associated with Wnt/β-catenin signalling and represents the transporter of gadoxetic acid in hepatocellular carcinoma. *J Hepatol.* 61(5):1080-7, 2014.
25. Masugi Y, Yamazaki K, Emoto K, Effendi K, Tsujikawa H, Kitago M, Itano O, Kitagawa Y, Sakamoto M:

- Upregulation of integrin $\beta 4$ promotes epithelial-mesenchymal transition and is a novel prognostic marker in pancreatic ductal adenocarcinoma. *Lab Invest.* 95:308-19, 2015.
26. Murayama Y, Satoh S, Hashiguchi A, Yamazaki K, Hashimoto H, Sakamoto M: Visualization of acetaminophen-induced liver injury by time-of-flight secondary ion mass spectrometry. *Anal Biochem.* 488:51-8, 2015.
 27. Masugi Y, Tanese K, Emoto K, Yamazaki K, Effendi K, Funakoshi T, Mori M, Sakamoto M: Overexpression of adenylate cyclase-associated protein 2 is a novel prognostic marker in malignant melanoma. *Pathol Int.* 65:627-34, 2015.
 28. Tsujikawa H, Masugi Y, Yamazaki K, Itano O, Kitagawa Y, Sakamoto M: Immunohistochemical molecular analysis indicates hepatocellular carcinoma subgroups that reflect tumor aggressiveness. *Hum Pathol.* 50:24-33, 2016.
 29. Tamaki N, Kuno A, Matsuda A, Tsujikawa H, Yamazaki K, Yasui Y, Tsuchiya K, Nakanishi H, Itakura J, Korenaga M, Mizokami M, Kurosaki M, Sakamoto M, Narimatsu H, Izumi N: Serum Wisteria Floribunda Agglutinin-Positive Sialylated Mucin 1 as a Marker of Progenitor/Biliary Features in Hepatocellular Carcinoma. *Sci Rep.* 7:244, 2017.
 30. Fujii-Nishimura Y, Yamazaki K, Masugi Y, Douguchi J, Kurebayashi Y, Kubota N, Ojima H, Kitago M, Shinoda M, Hashiguchi A, Sakamoto M: Mesenchymal-epithelial transition of pancreatic cancer cells at perineural invasion sites is induced by Schwann cells. *Pathol Int.* 68:214-223, 2018.
 31. Kawaida M, Yamazaki K, Tsujikawa H, Fukuma M, Abe Y, Kitago M, Shinoda M, Kitagawa Y, Sakamoto M: Diffuse and canalicular patterns of glypican-3 expression reflect malignancy of hepatocellular carcinoma. *Pathol Int.* 69:125-134, 2019.
 32. Ueno A, Masugi Y, Yamazaki K, Kurebayashi Y, Tsujikawa H, Effendi K, Ojima H, Sakamoto M: Precision pathology analysis of the development and progression of hepatocellular carcinoma: Implication for precision diagnosis of hepatocellular carcinoma. *Pathol Int.* 70:140-154, 2020.
 33. Minagawa T, Yamazaki K, Masugi Y, Tsujikawa H, Ojima H, Hibi T, Abe Y, Yagi H, Kitago M, Shinoda M, Itano O, Kitagawa Y, Sakamoto M: Activation of extracellular signal-regulated kinase is associated with hepatocellular carcinoma with aggressive phenotypes. *Hepatol Res.* 50:353-364, 2020.
 34. Wagatsuma T, Nagai-Okatani C, Matsuda A, Masugi Y, Imaoka M, Yamazaki K, Sakamoto M, Kuno A: Discovery of Pancreatic Ductal Adenocarcinoma-Related Aberrant Glycosylations: A Multilateral Approach of Lectin Microarray-Based Tissue Glycomic Profiling With Public Transcriptomic Datasets. *Front Oncol.* 10:338, 2020.
 35. Kubota N, Ojima H, Hatano M, Yamazaki K, Masugi Y, Tsujikawa H, Fujii-Nishimura Y, Ueno A, Kurebayashi Y, Shinoda M, Kitago M, Abe Y, Kitagawa Y, Sakamoto M: Clinicopathological features of hepatocellular carcinoma with fatty change: Tumors with macrovesicular steatosis have better prognosis and aberrant expression patterns of perilipin and adipophilin. *Pathol Int.* 70:199-209, 2020.
 36. Adachi M, Masugi Y, Yamazaki K, Emoto K, Kobayashi Y, Tominaga E, Banno K, Aoki D, Sakamoto M: Upregulation of cyclase-associated actin cytoskeleton regulatory protein 2 in epithelial ovarian cancer correlates with aggressive histologic types and worse outcomes. *Jpn J Clin Oncol.* 50:643-652, 2020.

37. Kwa WT, Effendi K, Yamazaki K, Kubota N, Hatano M, Ueno A, Masugi Y, Sakamoto M: Telomerase reverse transcriptase (TERT) promoter mutation correlated with intratumoral heterogeneity in hepatocellular carcinoma. *Pathol Int.* 70:624-632, 2020.
38. Ogawa Y, Masugi Y, Abe T, Yamazaki K, Ueno A, Fujii-Nishimura Y, Hori S, Yagi H, Abe Y, Kitago M, Sakamoto M: Three Distinct Stroma Types in Human Pancreatic Cancer Identified by Image Analysis of Fibroblast Subpopulations and Collagen. *Clin Cancer Res.* 27:107-119, 2021.
39. Kurebayashi Y, Matsuda K, Ueno A, Tsujikawa H, Yamazaki K, Masugi Y, Kwa WT, Effendi K, Hasegawa Y, Yagi H, Abe Y, Kitago M, Ojima H, Sakamoto M: Immunovascular classification of HCC reflects reciprocal interaction between immune and angiogenic tumor microenvironments. *Hepatology*. 75:1139-1153, 2022.
40. Matsuda K, Kurebayashi Y, Masugi Y, Yamazaki K, Ueno A, Tsujikawa H, Ojima H, Kitago M, Itano O, Shinoda M, Abe Y, Sakamoto M: Immunovascular Microenvironment in Relation to Prognostic Heterogeneity of WNT/β-catenin-Activated Hepatocellular Carcinoma. *Hepatol Res.* 53:344-356, 2023.

総説

Yamazaki K, Masugi Y, Sakamoto M: Molecular pathogenesis of hepatocellular carcinoma: altering transforming growth factor-β signaling in hepatocarcinogenesis. *Dig Dis.* 29:284-8, 2011.

著書

1. 福間真理子, 山崎剣, 坂元亨宇. 膵癌の病理学的特性 – 分子機構の解明 – . 画像診断 26:13-18, 2006
2. 山崎剣, 真杉洋平, 坂元亨宇. 膵癌の浸潤・転移におけるEMTの役割. 実験医学 27:103-106, 2009

学会報告

1. 山崎剣, 真杉洋平, 坂元亨宇: Adenylate cyclase-associated protein 1 promotes pancreatic cancer cell motility. 第68回日本癌学会学術総会, 横浜, 2009.10
2. Ken Yamazaki, Yohei Masugi, Kathryn Effendi, Michiie Sakamoto: SMAD3 upregulation is a novel biomarker of poor prognosis and epithelial-mesenchymal transition in pancreatic cancer. AACR 104th Annual Meeting 2013, Washington DC, USA, 2013.4
3. 辻川華子, 真杉洋平, Kathryn Effendi, 山崎剣, 坂元亨宇: 肝細胞癌におけるbiliary/stem cell markerの発現. 第102回日本病理学会総会, 札幌, 2013.6
4. Yohei Masugi, Ken Yamazaki, Katsura Emoto, Kathryn Effendi, Minoru Kitago, Osamu Itano, Yuko Kitagawa, Michiie Sakamoto: Up-regulation of integrin β4 promotes epithelial-mesenchymal transition and is a novel prognostic marker in pancreatic cancer. AACR Annual Meeting 2014, San Diego, USA, 2014.4
5. Takayoshi Tanaka, Yasuo Sugitani, Tokiya Abe, Miho Kawaida, Ken Yamazaki, Akinori Hashiguchi, Michiie Sakamoto, Toshihiko Ohtomo: Immunofluorescent digital slide technology to evaluate correlation between Glypican-3 expression and response to codrituzumab. AACR 107th Annual Meeting 2016, New Orleans, USA, 2016.4

6. 川井田みほ, 山崎剣, 阿部時也, 辻川華子, 橋口明典, 田中孝欣, 大友俊彦, 板野理, 尾島英知, 坂元亨宇: 肝細胞癌における Glypican-3 の細胞内局在ならびに発現量と臨床病理学的検討. 第 106 回日本病理学会総会, 東京, 2017.4
7. 山崎剣, 真杉洋平, 辻川華子, 尾島英知, 北郷実, 篠田昌宏, 北川雄光, 坂元亨宇: ムチン 1 発現は肝細胞癌の悪性度を反映する. 第 77 回日本癌学会学術総会, 大阪, 2018.09
8. 辻川華子, 山崎剣, 真杉洋平, 坂元亨宇: 肝細胞癌におけるインテグリン $\beta 4$ 発現の意義. 第 108 回日本病理学会総会, 東京, 2019.5
9. 西村瑠子, 真杉洋平, 橋口明典, 道口洵也, 山崎剣, 尾島英知, 北郷実, 板野理, 北川雄光, 坂元亨宇: 膵癌神経周囲浸潤部における focal differentiation の意義の検討. 第 79 回日本癌学会学術総会, 広島, 2020.10
10. 紅林泰, 松田紘典, 上野彰久, 辻川華子, 山崎剣, 真杉洋平, エフェンディ カトリークス, クワ ウィトゥン, 尾島英知, 坂元亨宇: 肝細胞癌の免疫・血管微小環境に基づく分類：免疫チェックポイント阻害剤併用療法の効果予測を見据えて. 第 111 回日本病理学会総会, 神戸, 2022.4
11. 紅林泰, 松田紘典, 辻川華子, 上野彰久, kathryn Effendi, 山崎剣, 真杉洋平, 尾島英知, 坂元亨宇: 肝細胞癌に対する抗腫瘍免疫応答の発達・疲弊過程の時空間的解析と臨床病理学的意義. 第 112 回日本病理学会総会, 下関, 2023.4